

For ergonomic handling



SDX® trolleys are carefully designed to facilitate daily work activities. Our trolleys have been tested in diverse kitchen environments for many years, which has resulted in continuous improvements that fulfil stringent ergonomic and technical requirements. Well-adapted heights provide better lifting conditions for backs and knees. Castors with high quality ball bearings make our trolleys easy to roll.



H62



TROLLEY

Adapted for: Thermobox® 600

Material: Zinc-plated angle profile

Castors: 100 mm castors, 2 stationary and 2 swivel castors with brakes.

Weight: 5 kg

Maximum load: 200 kg

Other data: The trolley is equipped with a device for a tow hook



H68



TROLLEY

Adapted for: Thermobox® 600

Material: Stainless steel

Castors: 125 mm castors with rubber track, 2 stationary and 2 swivel castors with brakes.

Weight: 13 kg

Maximum load: 200 kg

Other data: Fixation corners in polypropene



PLATTFORM TROLLEY

H78

Adapted for: Thermobox® 600

Material: Stainless steel

Castors: 125 mm castors with rubber track, 2 stationary and 2 swivel castors with brakes.

Weight: 13 kg

Maximum load: 200 kg

Other data: Fixation corners in polypropene



COMBI TROLLEY

H78 S

Adapted for: Thermobox® 600

Material: Stainless steel

Castors: 125 mm castors with rubber track, 2 stationary and 2 swivel castors with brakes.

Weight: 17.5 kg

Maximum load: 200 kg

Other data: Fixation corners in polypropene
Extra shelf for plastic box of dimensions 600x400x300 mm or Minitainer G48





Thermobox® 600 on
Combi Trolley H78 S



Minitainer G48 on
Plattform Trolley H78



Thermobox® 600 on
Trolley H68



Filarevägen 1
SE-294 39 Sölvesborg
Tel: +46 456 135 10
Fax: +46 456 135 19

Displays and offices
Stockholm, Sweden
Tel: +46 8 83 45 90
Ljusdal, Sweden
Tel: +46 651 150 12

www.sdx.se